



WARNING!

**REMOVAL OF THIS TAG IMPLIES THAT YOU HAVE READ AND
ACKNOWLEDGE THE INFORMATION STATED BELOW.**

IMPORTANT:

**AS STATED IN NSC STANDARD 10: CARGO SECUREMENT, DIVISION 5 - FRONT
END STRUCTURES - APPLICATION 23(3) - A CAB SHIELD (LIMITED
SECURITY/HEADACHE RACK) IS NOT A FRONT END STRUCTURE OR PART OF
A CARGO SECUREMENT SYSTEM. THIS HEADACHE RACK IS NOT TO BE USED
AS A FRONT END STRUCTURE OR TO SECURE CARGO. ICONIC ELEMENTS INC.
MAKES NO REPRESENTATION, EITHER STATED OR IMPLIED, THAT ICONIC
METALGEAR HEADACHE RACKS PROVIDE ANY DRIVER OR PASSENGER
SAFETY. ICONIC ELEMENTS INC. CANNOT BE HELD LIABLE FOR ANY LOSS,
DAMAGE, INJURY, OR DEATH RESULTING FROM SHIFTING CARGO AS A
RESULT OF MISUSE, MISAPPLICATION, OR NOT COMPLYING WITH PROPER
LOAD SECUREMENT REGULATIONS.**

ICONIC METALGEAR HEADACHE RACKS ARE DESIGNED TO OFFER A TRUCK MOUNTED
STORAGE SOLUTIONS AND, AS SUCH, HAVE NOT BEEN TESTED AND HAVE NO LOAD RATINGS
UNDER THE FMCSA REGULATIONS. AS STATED BY THE FMCSA, HEADACHE RACKS CANNOT
MEET THE REQUIREMENTS OF CFR 393.114 (A) AS CARGO MUST BE IN CONTACT WITH THE
FRONT END STRUCTURE FOR THE REGULATION TO APPLY. ICONIC ELEMENTS INC. PROMOTES
THAT ALL OPERATORS SHOULD BE IN FULL COMPLIANCE WITH ALL OTHER LOAD
SECUREMENT REQUIREMENTS AS OUTLINED IN FMCSA 49 CFR 393.100 TO 313.142.

NOTE: IMPROPER USE OF AN ICONIC METALGEAR HEADACHE RACK MAY RESULT IN INJURY
OR DEATH. DO NOT USE WHEN HAULING LOGS OR POLES, OR TO SECURE CARGO.




OPERATORS WITH A HEADACHE RACK MANUFACTURED BY ICONIC ELEMENTS INC.:

- (A) MUST USE ICONIC METALGEAR APPROVED SYSTEM/MOUNTING KIT.**
- (B) MUST PERFORM/RECORD REGULAR MAINTENANCE. INSPECT YOUR RACK FOR DAMAGE
OR WELD CRACKS, AND CHECK INSTALLATION BOLTS AND TORQUE EVERY 90 DAYS. PERFORM
IN CONJUNCTION WITH VEHICLE MAINTENANCE.**
- (C) MUST USE A NEW, METALGEAR APPROVED, MOUNTING KIT FOR REINSTALLATION.**
- (D) MUST COMPLY WITH LOAD SECUREMENT REQUIREMENTS AS PRESCRIBED BY FMCSA 49
CFR 393.100 TO 313.142.**

**ENJOY THE COMMERCIAL PURPOSE OF OUR RACKS FOR STORAGE,
BUT DO NOT RELY ON THEM FOR ADDING INCREASED SAFETY.**




NO.	Item	Description	✓
1	Rack Finish	AL.Smooth Aluminum	
2	Door Finish	AL.Smooth Aluminum	
3	Handle	Black WT Handle	
4	Lights	- (6) 4" Trux Dual Revo.BLK. Gromet w/Heat - (3) 2" Trux Dual Revo.BLK. Gromet - (2) 5" Trux Legacy BLK. Spot Light - (14) Dim Lightrs w/Clear Lens,BLK. Gromet	
5	Powdercoat	Anti Skid Black	





Part No.: 1342	MATERIAL: 5052 (Alum)		THICKNESS: 0.125	FINISH: Smooth	DWG. NO.: 5578-0-00-B
	Approx. Weight: 335.48 lbs	ICONIC ELEMENTS (ICONIC METALGEAR) PROPRIETARY AND CONFIDENTIAL NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF Iconic Elements Inc. (ICONIC METALGEAR)			REV: B
	Surf. Area: 317.25 sq. ft.				SHEET: 2 OF 3


Black Vader Angled Rack



SECTION D-D
SCALE 1 : 20



SECTION C-C
SCALE 1 : 20



SECTION B-B
SCALE 1 : 20

Part No.:

1342

MATERIAL: 5052 (Alum)

THICKNESS: 0.125

FINISH: Smooth

DWG. NO.: 5578-0-00-B

Approx. Weight: 335.48 lbs

Surf. Area: 317.25 sq. ft.

ICONIC ELEMENTS (ICONIC METALGEAR)

PROPRIETARY AND CONFIDENTIAL
NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF Iconic Elements Inc. (ICONIC METALGEAR)

TITLE:

Black Vader Angled Rack

REV: SHEET:

B 3 OF 3