## **Declaration of Conformity**

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #	C041501	7	Dec	laration Date	04.23.15
Tested Item #	8445		3-1/4" Stee	l Carabiner	
Additional Items	Conforming Under	r this Declaration:			
	· ·	ares that the pro			-
		ANSI Z359	.12-2009		
Cor	nformity Assessm	nent Method in ac	cordance with	ANSI/ISEA 125-2	014
L	evel 1	Level 2	X	Level 3	
Level 1: FallT Outside the S ISO/IEC Standard	Scope of	<b>Level 2</b> : Fall Within the ISO/IEC Standard	Scope of	accr	endent 3rd Party Lab edited to ndard 17025:2005
Supporting Documentation	PC-0486				
Auth	norized Signatur	'e	Dur	Ju-	
Name Dustir	n Hawkins	Title VP	Business Develo	pment	Date 7.24.15





1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report							
Test Report Number	PC-0486	Date	4/23/2015	Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden  Test Specification  ANSI Z359.12-2009 4.2.1.1.1, 4.2.1.1.2, 4.2.1.1.3, 4.2.1.1.4, 4.2.3.3, 4.2.3.1 and 4.2.3.2.1)			4.2.1.1.1, .2.3.1 and			
Base Part #	8445 <b>Description</b> Double Locking Carabiner						
Proposed Part #	N/A	Built By Whom		Production	·	BOM	
Test Request #	PC-0486	Date Recei	ved	2/10/2015	Date	Complete	4/23/2015
Test Operator	Peter Mahbubani	Test Opera	itor	Yesbet Sier	ra		

Material/Sample Identification				
Sample ID	Description			
TST	Double Locking Carabiner			
GFT	Double Locking Carabiner			
SLT	Double Locking Carabiner			
MAT	Double Locking Carabiner			
01	Double Locking Carabiner			

Test Summary							
Test Specification	est Specification Test Criteria		Pass/Fail				
ANSI Z359.12-2009	Static Tensile Strength ≥ 5000 lbF	5066.8 lbF	Pass				
4.2.1.1.1	Hold ≥ 1 Minute	1 Minute	Pass				
	Gate Face Static Strength ≥ 3600 lbF	3616.1 lbF	Pass				
ANSI Z359.12-2009	Hold ≥ 1 Minute	1 Minute	Pass				
4.2.1.1.2	Gate-to-Nose Separation ≤ 0.125"	0.09"	Pass				
	Gate shall not distort enough to release	Did not release	Pass				
	Side Load Static Strength ≥ 3600 lbF	3617.6 lbF	Pass				
ANSI Z359.12-2009	Hold ≥ 1 Minute	1 Minute	Pass				
4.2.1.1.3	Gate-to-Nose Separation ≤ 0.125"	0.04"	Pass				
	Gate shall not distort enough to release	Did not release	Pass				
	Minor Axis Static Strength ≥ 3600 lbF	3633.1 lbF	Pass				
ANSI Z359.12-2009 4.2.1.1.4	Hold ≥ 1 Minute	1 Minute	Pass				
	Gate shall not distort enough to release	Did not release	Pass				
ANSI Z359.12-2009	Dynamic Impact Force ≥ 5000 lbF	5588.6 lbF	Pass				

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communique dated January 2009).



FLT-08 Rev. D 10/1/2014



## **FallTech Testing Laboratory**

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report							
Test Report Number	PC-0486	Date	4/23/2015	Rev		Rev Date	
Report Prepared For	FallTech	FallTech					
Initiated By	Dan Redden Test Specification ANSI Z359.12-2009 4.2.1.1 4.2.1.1.2, 4.2.1.1.3, 4.2.1.1.4, 4.2.3.3, 4.2.3.1 and 4.2.3.2.1)			4.2.1.1.1, 4.2.3.1 and			
Base Part #	8445	8445 <b>Description</b> Double Locking Carabiner					
Proposed Part #	N/A	Built By Whom		Production		BOM	
Test Request #	PC-0486	Date Received		2/10/2015	Date	Complete	4/23/2015
4.2.3.3	Gate shall not distort enough to release		Did not	release	Pa	iss	

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communique dated January 2009).



FLT-08 Rev. D 10/1/2014



## **FallTech Testing Laboratory**

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report							
Test Report Number	PC-0486	Date	4/23/2015	Rev		Rev Date	
Report Prepared For	Report Prepared For FallTech						
Initiated By	ANSI Z359.12-2009 4.2.1.1.1, 4.2.1.1.2, 4.2.1.1.3, 4.2.1.1.4, 4.2.3.3, 4.2.3.1 and 4.2.3.2.1)						
Base Part #	8445 <b>Description</b> Double Locking Carabiner						
Proposed Part #	N/A	Built By Whom		Production		BOM	
Test Request #	PC-0486	Date Recei	ived	2/10/2015	Date	Complete	4/23/2015

Conclusion	
FallTech P/N 8445 meets the requirements for ANSI Z359.12-2009.	

Report Signatories and Approval							
Lab Quality Manager Peter Mahbubani	XII.	Date	4/23/2015				
Witnessed by	Not Applicable	Date	Not Applicable				

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC-IAF Communique dated January 2009).

